


#### Introduction

In this project, we are going to create a game in which Toby the dog has to collect 5 cheese-puffs bowls to win, whilst preventing balls from falling on the floor. If Toby drops more than 2 balls, the game is over. So the question is: can you keep all the balls in the air?



#### **Step 1: Controlling Toby**

#### Activity Checklist

Start a new Scratch project. Delete the cat by right-clicking it and selecting Delete.
Click on the stage. Choose a backdrop from the Scratch library: the <b>night city with street</b> backdrop is a good choice for this project. Delete the original blank backdrop.
Add a new sprite. select the <b>Dog2</b> sprite from the <b>Animals</b> section.
Dog2 comes with three costumes. Delete the third costumedog2-c as

we only want the first two.

Click on the blue i button to the top left of the sprite picture. Rename the sprite **Toby** 

Select the left-right rotation style as shown on the picture below:



We want Toby to move right when we press the right arrow key. Click on the scripts tab, and add this script:

```
when clicked

switch backdrop to night city with street

forever

if key right arrow pressed then

point in direction
90 v

move 10 steps

next costume
```

Click on the Green Flag, and check that Toby can move right when you press the right arrow key. Now we need to add more code to allow Toby to move left as well. Add this to your script:

```
when clicked

switch backdrop to 

forever

if key right arrow v pressed then ?

point in direction 90 v move 10 steps next costume

if key left arrow v pressed then ?

point in direction -90 v move 10 steps next costume
```

**Click the green flag**, press the left arrow key. Does Toby move left? Now try the right arrow key!

#### Save your project

#### Step 2: Keeping Toby busy!

Now that Toby can move, let's give him something to do. In order to win the game, Toby must collect 5 cheese-puffs bowls. We need the bowls to appear randomly at different times and places.


#### Activity Checklist

Add a new sprite from the library: select the cheesy-puffs from the
Things category, and rename it bowl.
Click on the <b>Costumes</b> tab and reduce the size of the cheese-puffs bowl
by clicking on the <b>shrink</b> icon at the ton near the scissors. You then

need to click on the bowl sprite to make it smaller. The shrink icon looks like this:



If you used a different method to resize the bowl, you may need to reset the centre of the costume so that it is at the centre of the bowl. To do this, click on the **Set costume centre** icon at the top right corner, and move the crosshair as shown on the picture below:



The **cheesy-puffs** need to appear in random places on the pavement. The y position will remain the same, but the x position needs to change so that the bowl sometimes appears on the right, on the left, or in the middle. Add the following script to the **bowl** sprite:



- Click the green flag, and wait for a bit. Does the cheese-puffs bowl keep moving to different places every 5 seconds?
- At the moment, the game is too predictable! Let's make it more difficult

by hiding the bowl from time to time. Modify the script in the following way:

```
when clicked
hide
forever

pick random 1 to secs

pick random -220 to 220

y:
-140

show

pick random 1 to secs

hide
```

#### **Test Your Project**

**Click the green flag**, the cheese-puffs bowl should now appear for random lengths of time, and in random places.


#### Save your project

#### **Step 3: Counting the bowls**

In order to win the game, Toby must collect 5 cheese-puffs bowls.

### Activity Checklist

Create a bowls variable to keep track of how many bowls Toby has collected so far.



Now we need to add some code to keep track of how many bowls Toby has collected so far. Each time that Toby touches a cheese-puffs bowl, the bowls variable needs to be increased by 1. So add this script to the cheese-puffs bowl sprite. (Make sure that you keep the previous script as well! We need both scripts)

```
when clicked

set bowls v to 0

forever

if touching Toby v? then

change bowls v by 1

wait 0.5 secs

hide
```

The game should be stopped when the number of bowls collected reaches 5. We are going to broadcast a new message called won to the other sprite and the background to let them know that the player has

won. Modify your second script so that it looks like this:

```
when clicked

set bowls v to 0

forever

if touching Toby v? then

change bowls v by 1

if bowls = then

5

broadcast won v

other scripts in sprite

wait 0.5 secs

hide
```

Add a small script for Toby so that he says 'well done!' when he receives the won message:



#### **Test Your Project**

Click the green flag, does the bowls variable increase each time the dog collects a bowl? Does Toby say "well done" once 5 bowls have been collected?

Save your project

Challenge 1: Adding sound

Can you add some code to play a <b>pop</b> sound each time a bowl is collected?
Can you add a small script for the background so that it changes and plays music when the player wins?
Hint: You will need to add a script for your stage starting with a when I receive won block
Save your project
Step 4: Adding a bouncing ball
Let's make the game a bit more exciting by adding a bouncing ball! Toby has to

catch the ball. If Toby drops 3 balls before he has time to collect his 5 bowls of cheese-puffs, the game is over!

## Activity Checklist

Add a new sprite: select the <b>Beachball</b> from the Scratch library.
Shrink the <b>Beachball</b> . Make sure that the centre of the costume is set correctly, i.e. at the centre of the ball. You can check this by clicking on the <b>Set costume centre</b> icon, located at the top right corner in the <b>Costumes</b> tab. It is important to set the centre correctly, as it will affect the way the ball moves.
Now we need this ball to fall from the sky, and bounce everywhere. Add the following script to your ball:

```
when clicked

show

pick random -220 to 220 y:

160

point in direction
135 y

forever

move 4 steps
if on edge, bounce
```

**Click the green flag**, your ball should fall from the sky and bounce off the edges of the background. Which number do you need to modify to make the ball bounce faster or slower?

#### Save your project

#### Step 5: Add more bounce

But the problem is: nothing happens when Toby touches the ball. Let's fix this!

#### Activity Checklist

Modify your script so that when the ball touches Toby, it bounces off as well:

```
when
     clicked
show
             pick random -220 to
  go to x:
                     220
                  160
   point in direction
        135 ▼
  move 4 steps
  if on edge, bounce
  if (touching Toby ▼ ?) then
                pick random 90 to
    turn &
                                      degrees
                       270
    move 100 steps
```

We also need to add some code to detect when the ball touches the floor. The ball seems to be touching the floor when its y position is less than 140. This is an approximate number, and you may need to adjust it, especially if you have chosen a different background. We are going to modify the script so that the ball moves back to the top (and changes colour) as soon as it is dropped. Import the water drop sound, and modify your script again:

```
when
     clicked
show
             pick random -220 to
  go to x:
                     220
                   160
   point in direction
        135 ▼
  move 4 steps
  if on edge, bounce
  if (touching Toby ▼ ?) then
                pick random 90 to
    turn &
                                       degrees
                       270
    move 100 steps
         y position
            -140
    change color ▼ effect by 25
                  pick random -220 to
       go to x:
                          220
                       160
          play sound
          water drop ▼
```

Click the green flag, what happens when the ball is dropped? Can you see a new ball falling from the top? Is it a different colour?


### Save your project

#### Step 6: Counting the dropped balls

#### Activity Checklist

We now need to keep track of how many balls Toby has dropped so far.

To do this, create a variable for all sprites called droppedBalls.



When we start the game, Toby has not dropped any balls yet, so we need to initialise the droppedBalls variable to 0. Each time the balls touches the floor, the droppedBalls variable needs to be increased by 1. When the number of dropped balls is more than 3, the game is over, so we will broadcast a new message called gameover to tell the other sprites and the background that the game is over, and the player has lost. Your **Beachball** script should now look like this:

```
when
     clicked
set droppedBalls ▼ to 0
show
             pick random -220 to
  go to x:
                                      y:
                      220
                  160
   point in direction
        135 ▼
forever
  move 4 steps
  if on edge, bounce
  if (touching Toby ▼ ?) then
                pick random 90 to
                                       degrees
    turn 🍼
                        270
    move 100 steps
         y position
            -140
    change droppedBalls ▼ by 1
          droppedBalls =
      broadcast gameOver ▼
      hide
      stop this script ▼
    change color ▼ effect by 25
                  pick random -220 to
       go to x:
                          220
                       160
          play sound
          water drop ▼
```

When the players wins, the game should stop, and the ball should stop bouncing and hide:



Add this script to your **bowl** sprite to stop it from appearing when the game is over:



- Click on the stage. Then click on the Sounds tab, and import the **spooky string** sound from the Scratch library, and the **triumph** sound.
- Add this script to the stage so that it plays a**spooky string** sound when the game is over:

```
when I receive
gameOver v

change color v effect by 25

play sound
spooky string v
```

Add this script to the stage so that it changes colour several times and plays a **triumph** sound when the player wins:

```
when I receive
won v


play sound
triumph v

repeat 12

change color v effect by 25

wait 0.5 secs
```

Finally, add this script to make sure the colour of the stage comes back to normal when the game is restarted.



Click the green flag, does the droppedBalls variable increase each time a ball is dropped? Test your game in as many ways that you can think of (winning and losing for example) Does it work as expected?

#### Save your project

# Challenge 2: make the game more challenging

What could you do to make the game more challenging? Here are some suggestions: + Make the bowls hide more quickly, and for longer. Which parameters do you need to modify to achieve this?

+ Make the ball move a lot faster, or add another ball: maybe it could be a basketball this time. You can copy the script from the beach ball onto the basketball using drag and drop, there is no need to rewrite the whole script... + You could make a level 2 for your game, with a different background, and more balls bouncing around. Instead of collecting cheese-puffs bowls, Toby could this time collect some donuts. (There is a **donut** sprite in the Scratch library). You could create a level variable to keep track of the level you're currently playing.

#### Save your project

Well done, you have finished! Now you can enjoy your game!

Don't forget you can share your game with all your friends and family by clicking on **Share** on the menu bar!